

Pre-installation Data Sheet

Bathtubs and Whirltubs



Index

Notes	. 2
Pre-installation	3
Maintenance openings	. 5
Data sheets for bathtubs and whirltubs	ç

Notes

PLANNING

Before starting the installation, plan the layout in detail, taking the site conditions into consideration.

TARGET READERSHIP AND QUALIFICATIONS

All work associated with the installation and water connection may only be undertaken by a plumber and all work associated with the electrical installation may only be undertaken by a licensed electrician.

SAFETY INSTRUCTIONS

Incorrect handling/transport may result in product damage.

The metal frame and whirl system are not resilient.

> Never hold by the metal frame or whirl system.

Improper transport can cause damage to the product and/or property damage, e.g. leaks.

- > Wear appropriate protective clothing.
- > Avoid knocks.

Risk of product and/or property damage!

The breach of local and country-specific regulations and standards can cause damage to the product and/or property damage.

> Observe the local installation regulations and any country-specific standards at all times.

Duravit AG assumes no liability for the consequences of improper handling or improper transport.



Pre-installation

INSTALLATION LOCATION / INSTALLATION ROOM

> Make sure that the installation location fulfils the following criteria

Doors / external access Ensure that doors or other access openings are large enough to accommodate transport dimensions, keeping in mind the weight and need for sufficient manoeuvring room. Required area • Allow for enough space around the tub for the installation. Floor • Completely level. • At a right angle to the wall. • Note the overall strength of the floor structure including the floor finish. • There must not be any underfloor heating under the tub. • Install tubs after the tiles. (Top edge of finished floor). • Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. • Tolerances for acrylic: As a result of the manufacturing process, deviations from the nominal
Completely level. At a right angle to the wall. Note the overall strength of the floor structure including the floor finish. There must not be any underfloor heating under the tub. Install tubs after the tiles. (Top edge of finished floor). Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. Tolerances for acrylic: As a result of the manu-
 At a right angle to the wall. Note the overall strength of the floor structure including the floor finish. There must not be any underfloor heating under the tub. Install tubs after the tiles. (Top edge of finished floor). Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. Tolerances for acrylic: As a result of the manu-
 Note the overall strength of the floor structure including the floor finish. There must not be any underfloor heating under the tub. Install tubs after the tiles. (Top edge of finished floor). Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. Tolerances for acrylic: As a result of the manu-
 including the floor finish. There must not be any underfloor heating under the tub. Install tubs after the tiles. (Top edge of finished floor). Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. Tolerances for acrylic: As a result of the manu-
 the tub. Install tubs after the tiles. (Top edge of finished floor). Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. Tolerances for acrylic: As a result of the manu-
floor). • Depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. • Tolerances for acrylic: As a result of the manu-
system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame. • Tolerances for acrylic: As a result of the manu-
dimensions may occur within the limits specified in the DIN 198 standard. Please take this into account in your planning.
Wall • Tiled.
At a right angle to the tub.
Completely straight.
Note the overall strength of the wall structure including the wall finish.

WATER INSTALLATION

NOTE


 $\label{lem:bathtubs} \textbf{Bathtubs without overflow will overflow into the room.}$

> If a bathtub is installed without an overflow, a floor drain must be installed to protect the building against overflow water in accordance with DIN 1986-100.

NOTE

A pipe interrupter is absolutely essential for tubs with a base inlet (DIN

> Comply with assembly scheme.



Water connection

- Connections for the water supply and drains must be in compliance with the currently valid standards and public regulations.
- Position the water drain (DN 50) flush to the mounting surface or out of the wall directly above the mounting surface; see drawing for recommended area.

MAINTENANCE OPENINGS AND AIR SUPPLY

NOTE

It is recommended to install the tub with a removable bathtub panel due to the improved maintenance options.

Tiling the tub

The following maintenance openings must be provided:

• Cable-driven waste and overflow 200 x 200 mm

Units 500 x 500 mm (Please see the section on "Maintenance openings")

• Provide an opening in the panel for the air supply with an effective area of approx. 15 cm² (e.g. 3 x 5 cm or 2 x 7.5 cm).

Tub with a panel

- The panel must be removed for maintenance, and with a seamless panel, the tub must be removed from the wall. Your plans should therefore include a clearance in front of the tub.
- The air supply for the whirl system (ventilation grille/ventilation slot) must not be covered.

ELECTRICAL INSTALLATION

DANGER Risk of fatal electric shock

- Disconnect the power supply while working on the electrical components.
- The device must be earthed. Earthed appliances must be permanently connected to fixed wiring.
- Connect the device only to the designated electrical cable.
- > NEVER touch the power supply line with wet hands.

Pre-installation

- > Lay a permanent power supply line which must be on a separate circuit.
 - · The device itself does not have electrical leakage protection function. The device must be supplied through a residual current device (RCD) with a rated residual operating current not exceeding 30 mA.
 - · Means for disconnection must be incorporated in the fixed wiring in accordance with the wiring rules and have a contact separation in all poles that provides full disconnection under overvoltage category III conditions outside the prescribed protection zones (0 - 2).
 - Leave 3000 mm of the supply line exposed.
- Lay an equipotential bonding cable:
 - Leave 3000 mm of cable exposed.
- Select a supply line cross-section based on the connected load on the identification plate (2.5 mm - 4 mm).
- Confirm that the grounding wire is 10 mm (% ") longer than the L and N wire.




> Install a circuit breaker.

220 – 240 V AC, 60 Hz # 76XXXX XX X XX XXX**6**:

In = 16 A RCD I∆N ≤ 30 mA

PROTECTION ZONES



st Or the height of the highest fixed-location shower head/water outlet, whichever is higher.

WHITE LED LIGHT UNDER THE EDGE OF THE TUB FOR **BATHTUBS**

Electrical data

Power supply

White LED light under the edge of the tub	220 - 240 V AC, 50/60 Hz,
#791847 00 0 00 0000	50 W
#791848 00 0 00 0000	
#791849 00 0 00 0000	

Fuse In = 16 A

RCD I_{∆N} ≤ 30 mA

WHIRLTUBS

Electrical data

Whirl system	Rated power with	Max. rated power,
	standard equipment	fully-equipped
Air System	0.76 kW	0.85 kW
(# 760XXX XX X AS 00XX)		
Air System (DuraSolid)	0.58 kW	0.58 kW
(# 760XXX XX X AS 00XX)		
Jet Project	0.66 kW	0.66 kW
(# 760XXX XX X JP 10XX)		
Jet System	0.59 kW	0.67 kW
(# 760XXX XX X JS 10XX)		
Combi-System P	1.89 kW	1.98 kW
(# 760XXX XX X CP 10XX)		
Combi-System E	1.91 kW	2.96 kW
(# 760XXX XX X CE 10XX)		
Combi-System L	1.59 kW	2.64 kW
(# 760XXX XX X CL 10XX)		
Jet System E	1.14 kW	2.20 kW
(# 760XXX XX X JE 10XX)		

Power supply

76XXXX XX X XX XXX**0**: 220 - 240 V AC, 50 Hz



Maintenance openings

Maintenance

Install the whirltub in such a way that all of the important equipment (pump, blower and control system) remains accessible. It is recommended to install the tub with a removable furniture panel for easy







Location of the whirl system components


The illustrations show the standard configuration for the components of the whirl system* with the location of the operating unit. The back massage is located at the head end (depending on the whirl system).


Custom-made designs available on request. In such cases we will require a drawing showing the desired layout. Duravit will confirm whether the desired layout can be implemented.

Cape Cod














Darling New
















D-Code



760098, # 760100

Head # 760097, # 760099









^{# 760138}

^{*} Please note that depending on the combination of tub and whirl system it is possible that system components may protrude beyond the edge of the tub. We therefore recommend installation in a support frame


PODURAVIT







Legend



^{*} Only Combi-Systems / ** The number of operating elements is based on the whirl system and the additional modules selected / *** Only necessary for Combi-System E/L in combination with sound and/or coloured LED light






Data sheets for bathtubs and whirltubs



Pre-installation Paiova # 700390/760390

k 1770 x 1300 x 440 x

Design by EOOS




Н Hot water connection Cold water connection


D MW Drain connection

Mixed water connection for


waste and overflow with water inlet or with base inlet EC
Electricity connection




Siphon for bathtub # 700390



Siphon with base inlet for bathtub # 700390



Siphon for whirltub # 760390



Siphon with base inlet for whirltub# 760390

	Height	including feet	
X Bathtub	460	580 - 650	
X Whirltub	460	580 - 615	


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	l x w x h (cm)	Base inlet OD		
37,0	131	68,0	200 x 80 x 159	1/2", 3/4"		700390 00 0 00 0000
48,0	136	97,0	184 x 144 x 94	3/4", 3/4"	Air-System	760390 00 0 AS 0000
52,0	138	101,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760390 00 0 JS 1000
57,0	140	106,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760390 00 0 CP 1000
70,0 - 77,0	146 - 149	119,0 - 126,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760390 00 0 CE 1000
77,0 - 84,0	149 - 152	126,0 - 133,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760390 00 0 CL 1000



Pre-installation Paiova #700394/760394


k 1770 x 1300 x 440 x

Design by EOOS




- Н Hot water connection
- Cold water connection
- D MW Drain connection
- Mixed water connection for


waste and overflow with water inlet or with base inlet EC # Electricity connection




Siphon for bathtub # 700394



Siphon with base inlet for bathtub # 700394



Siphon for whirltub # 760394



Siphon with base inlet for whirltub# 760394

Technical specifications


	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
	kg	lxwxh(cm)	Base inlet OD		
148	133,0	181 x 146 x 78	1/2", 3/4"		700394 00 0 00 0000
151	140,0	181 x 146 x 78	3/4", 3/4"	Air-System	760394 00 0 AS 0000
152	143,0	181 x 146 x 78	3/4", 3/4"	Jet-System	760394 00 0 JS 1000
155	149,0	181 x 146 x 78	3/4", 3/4"	Combi-System P	760394 00 0 CP 1000
160 - 163	162,0 - 169,0	181 x 146 x 78	3/4", 3/4"	Combi-System E	760394 00 0 CE 1000
163 - 166	169,0 - 176,0	181 x 146 x 78	3/4", 3/4"	Combi-System L	760394 00 0 CL 1000
	151 152 155 160 - 163	148 133,0 151 140,0 152 143,0 155 149,0 160 - 163 162,0 - 169,0	148 133,0 181 x 146 x 78 151 140,0 181 x 146 x 78 152 143,0 181 x 146 x 78 155 149,0 181 x 146 x 78 160 - 163 162,0 - 169,0 181 x 146 x 78	148 133,0 181 x 146 x 78 1/2", 3/4" 151 140,0 181 x 146 x 78 3/4", 3/4" 152 143,0 181 x 146 x 78 3/4", 3/4" 155 149,0 181 x 146 x 78 3/4", 3/4" 160 - 163 162,0 - 169,0 181 x 146 x 78 3/4", 3/4"	148 133,0 181 x 146 x 78 1/2", 3/4" 151 140,0 181 x 146 x 78 3/4", 3/4" Air-System 152 143,0 181 x 146 x 78 3/4", 3/4" Jet-System 155 149,0 181 x 146 x 78 3/4", 3/4" Combi-System P 160 - 163 162,0 - 169,0 181 x 146 x 78 3/4", 3/4" Combi-System E



Pre-installation Paiova # 700391/760391

k 1770 x 1300 x 440 x

Design by EOOS




Hot water connection


Cold water connection

Drain connection


MW Mixed water connection for waste and overflow with water inlet or with base inlet EC
Electricity connection




Siphon for bathtub # 700391



Siphon with base inlet for bathtub # 700391



Siphon for whirltub # 760391



Siphon with base inlet for whirltub# 760391

	Height	including feet	
X Bathtub	460	580 - 650	
X Whirltub	460	580 - 615	


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
37,0	131	68,0	200 x 80 x 159	1/2", 3/4"		700391 00 0 00 0000
48,0	136	97,0	184 x 144 x 94	3/4", 3/4"	Air-System	760391 00 0 AS 0000
52,0	138	101,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760391 00 0 JS 1000
57,0	140	106,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760391 00 0 CP 1000
70,0 - 77,0	146 - 149	119,0 - 126,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760391 00 0 CE 1000
77,0 - 84,0	149 - 152	126,0 - 133,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760391 00 0 CL 1000




Pre-installation Paiova # 700395/760395

k 1770 x 1300 x 440 x


Design by EOOS




- Hot water connection
- Cold water connection
- Drain connection
- MW Mixed water connection for waste and overflow with water inlet or with base inlet EC
 Electricity connection




Siphon for bathtub # 700395



Siphon with base inlet for bathtub # 700395



Siphon for whirltub # 760395



Siphon with base inlet for whirltub# 760395

Tec	hnic	al s	peci	ficati	ions


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
75,0	148	133,0	181 x 146 x 78	1/2", 3/4"		700395 00 0 00 0000
82,0	151	140,0	181 x 146 x 78	3/4", 3/4"	Air-System	760395 00 0 AS 0000
85,0	152	143,0	181 x 146 x 78	3/4", 3/4"	Jet-System	760395 00 0 JS 1000
91,0	155	149,0	181 x 146 x 78	3/4", 3/4"	Combi-System P	760395 00 0 CP 1000
104,0 - 111,0	160 - 163	162,0 - 169,0	181 x 146 x 78	3/4", 3/4"	Combi-System E	760395 00 0 CE 1000
111,0 - 118,0	163 - 166	169,0 - 176,0	181 x 146 x 78	3/4", 3/4"	Combi-System L	760395 00 0 CL 1000
					•	



Pre-installation Paiova # 700392/760392

k 1900 x 1400 x 440 x

Design by EOOS




Н Hot water connection

Cold water connection


D MW Drain connection

Mixed water connection for


waste and overflow with water inlet or with base inlet EC# Electricity connection




Siphon for bathtub # 700392



Siphon with base inlet for bathtub # 700392



Siphon for whirltub # 760392



Siphon with base inlet for whirltub# 760392

	Height	including feet
X Bathtub	460	580 - 650
X Whirltub	460	580 - 615

Technical	specifications
-----------	----------------


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
40,0	138	75,0	200 x 80 x 159	1/2", 3/4"		700392 00 0 00 0000
51,0	142	97,0	197 x 148 x 93	3/4", 3/4"	Air-System	760392 00 0 AS 0000
55,0	144	101,0	197 x 148 x 93	3/4", 3/4"	Jet-System	760392 00 0 JS 1000
60,0	145	106,0	197 x 148 x 93	3/4", 3/4"	Combi-System P	760392 00 0 CP 1000
73,0 - 80,0	150 - 153	119,0 - 126,0	197 x 148 x 93	3/4", 3/4"	Combi-System E	760392 00 0 CE 1000
80,0 - 87,0	153 - 156	126,0 - 133,0	197 x 148 x 93	3/4", 3/4"	Combi-System L	760392 00 0 CL 1000




Pre-installation Paiova # 700396/760396

k 1900 x 1400 x 440 x


Design by EOOS




- Н Hot water connection
- Cold water connection
- D MW Drain connection
- Mixed water connection for
- waste and overflow with water inlet or with base inlet EC # Electricity connection




Siphon for bathtub # 700396



Siphon with base inlet for bathtub # 700396



Siphon for whirltub # 760396



Siphon with base inlet for whirltub# 760396

Technical specifications


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	l x w x h (cm)	Base inlet OD		
85,0	155	158,0	199 x 158 x 78	1/2", 3/4"		700396 00 0 00 0000
92,0	158	165,0	199 x 158 x 78	3/4", 3/4"	Air-System	760396 00 0 AS 0000
95,0	159	168,0	199 x 158 x 78	3/4", 3/4"	Jet-System	760396 00 0 JS 1000
101,0	161	174,0	199 x 158 x 78	3/4", 3/4"	Combi-System P	760396 00 0 CP 1000
114,0 - 121,0	166 - 168	187,0 - 194,0	199 x 158 x 78	3/4", 3/4"	Combi-System E	760396 00 0 CE 1000
121,0 - 128,0	168 - 171	194,0 - 201,0	199 x 158 x 78	3/4", 3/4"	Combi-System L	760396 00 0 CL 1000
121,0 - 120,0	100 - 171	174,0 - 201,0	177 X 130 X 70	3/4 , 3/4	Combi-System L	700370 00 0 CL 10



Pre-installation Paiova #700393/760393

k 1900 x 1400 x 440 x


Design by EOOS




Hot water connection Cold water connection

Drain connection


MW Mixed water connection for waste and overflow with water inlet or with base inlet EC
Electricity connection




Siphon for bathtub # 700393



Siphon with base inlet for bathtub # 700393



Siphon for whirltub # 760393



Siphon with base inlet for whirltub# 760393

	Height	including feet
X Bathtub	460	580 - 650
X Whirltub	460	580 - 615


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
40,0	138	75,0	200 x 80 x 159	1/2", 3/4"		700393 00 0 00 000
51,0	142	97,0	197 x 148 x 93	3/4", 3/4"	Air-System	760393 00 0 AS 0000
55,0	144	101,0	197 x 148 x 93	3/4", 3/4"	Jet-System	760393 00 0 JS 1000
60,0	145	106,0	197 x 148 x 93	3/4", 3/4"	Combi-System P	760393 00 0 CP 1000
73,0 - 80,0	150 - 153	119,0 - 126,0	197 x 148 x 93	3/4", 3/4"	Combi-System E	760393 00 0 CE 1000
80,0 - 87,0	153 - 156	126,0 - 133,0	197 x 148 x 93	3/4", 3/4"	Combi-System L	760393 00 0 CL 1000




Pre-installation Paiova # 700397/760397

k 1900 x 1400 x 440 x


Design by EOOS




- Hot water connection
- Cold water connection
- Drain connection
- MW Mixed water connection for waste and overflow with water inlet or with base inlet EC
 Electricity connection




Siphon for bathtub # 700397



Siphon with base inlet for bathtub # 700397



Siphon for whirltub # 760397



Siphon with base inlet for whirltub# 760397

Technical specifications


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
85,0	155	158,0	199 x 158 x 78	1/2", 3/4"		700397 00 0 00 0000
92,0	158	165,0	199 x 158 x 78	3/4", 3/4"	Air-System	760397 00 0 AS 0000
95,0	159	168,0	199 x 158 x 78	3/4", 3/4"	Jet-System	760397 00 0 JS 1000
101,0	161	174,0	199 x 158 x 78	3/4", 3/4"	Combi-System P	760397 00 0 CP 1000
114,0 - 121,0	166 - 168	187,0 - 194,0	199 x 158 x 78	3/4", 3/4"	Combi-System E	760397 00 0 CE 1000
121,0 - 128,0	168 - 171	194,0 - 201,0	199 x 158 x 78	3/4", 3/4"	Combi-System L	760397 00 0 CL 1000



Pre-installation Paiova # 700270/760270


k 1700 x 1000 x 460 ≯

Design by EOOS




- Hot water connection
- Cold water connection
- Drain connection
- MW1 Mixed water connection for waste and overflow with water inlet


 MW2 Mixed water connection for
- waste and overflow with base inlet EC ! Electricity connection




Siphon for bathtub # 700270



Siphon with base inlet for bathtub # 700270



Siphon for whirltub # 760270



Siphon with base inlet for whirltub# 760270

	Height	including acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	lxwxh(cm)	Base inlet OD		
76,3	195	111,3	180 x 110 x 77	1/2", 3/4"		700270 00 0 00 0000
83,0	199	118,0	180 x 110 x 77	3/4", 3/4"	Air-System	760270 00 0 AS 0000
86,0	201	121,0	180 x 110 x 77	3/4", 3/4"	Jet-System	760270 00 0 JS 1000
92,0	204	127,0	180 x 110 x 77	3/4", 3/4"	Combi-System P	760270 00 0 CP 1000
105,0 - 112,0	212 - 216	140,0 - 147,0	180 x 110 x 77	3/4", 3/4"	Combi-System E	760270 00 0 CE 1000
112,0 - 119,0	216 - 220	147,0 - 154,0	180 x 110 x 77	3/4", 3/4"	Combi-System L	760270 00 0 CL 1000



Pre-installation Paiova # 700271/760271

k 1700 x 1000 x 460 x

Design by EOOS




Hot water connection

Cold water connection


Drain connection

MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for


waste and overflow with base inlet




Siphon for bathtub # 700271



Siphon with base inlet for bathtub # 700271



Siphon for whirltub # 760271



Siphon with base inlet for whirltub# 760271

	Height	including	
		acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
76,3	195	111,3	180 x 110 x 77	1/2", 3/4"		700271 00 0 00 0000
83,0	199	118,0	180 x 110 x 77	3/4", 3/4"	Air-System	760271 00 0 AS 0000
86,0	201	121,0	180 x 110 x 77	3/4", 3/4"	Jet-System	760271 00 0 JS 1000
92,0	204	127,0	180 x 110 x 77	3/4", 3/4"	Combi-System P	760271 00 0 CP 1000
105,0 - 112,0	212 - 216	140,0 - 147,0	180 x 110 x 77	3/4", 3/4"	Combi-System E	760271 00 0 CE 1000
112,0 - 119,0	216 - 220	147,0 - 154,0	180 x 110 x 77	3/4", 3/4"	Combi-System L	760271 00 0 CL 1000



Pre-installation Paiova # 700212/760212

k 1700 x 1000 x 460 ≯

Design by EOOS



Hot water connection

Cold water connection


Drain connection

MW1 Mixed water connection for waste and overflow with water inlet


MW2 Mixed water connection for

waste and overflow with base inlet


EC ! Electricity connection




Siphon for bathtub # 700212



Siphon with base inlet for bathtub # 700212



Siphon for whirltub # 760212



Siphon with base inlet for whirltub# 760212

	Height	including feet	including	
			support	
X Bathtub	485	605 - 675	~ 590	
X Whirltub	485	600 - 640	-	

Technical	enocifications


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
31,0	159	46,0	120 x 80 x 195	1/2", 3/4"		700212 00 0 00 0000
42,0	166	84,0	202 x 105 x 86	3/4", 3/4"	Air-System	760212 00 0 AS 0000
46,0	168	88,0	202 x 105 x 86	3/4", 3/4"	Jet-System	760212 00 0 JS 1000
51,0	171	93,0	202 x 105 x 86	3/4", 3/4"	Combi-System P	760212 00 0 CP 1000
64,0 - 71,0	179 - 183	106,0 - 113,0	202 x 105 x 86	3/4", 3/4"	Combi-System E	760212 00 0 CE 1000
71,0 - 78,0	183 - 187	113,0 - 120,0	202 x 105 x 86	3/4", 3/4"	Combi-System L	760212 00 0 CL 1000



Pre-installation Paiova # 700218/760218

k 1700 x 1000 x 460 x

Design by EOOS



Hot water connection


Cold water connection

waste and overflow with water inlet Mixed water connection for


waste and overflow with base inlet

EC Electricity connection


Drain connection MW1 Mixed water connection for




Siphon for bathtub # 700218



Siphon with base inlet for bathtub # 700218



Siphon for whirltub # 760218



Siphon with base inlet for whirltub# 760218

	Height	including panel
X Bathtub	485	600
X Whirltub	485	600

Technical	speci	fications
-----------	-------	-----------


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions (x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
46,0	168	88,0	201 x 105 x 86	1/2", 3/4"		700218 00 0 00 0000
53,0	172	95,0	201 x 105 x 86	3/4", 3/4"	Air-System	760218 00 0 AS 0000
56,0	174	98,0	201 x 105 x 86	3/4", 3/4"	Jet-System	760218 00 0 JS 1000
62,0	178	104,0	201 x 105 x 86	3/4", 3/4"	Combi-System P	760218 00 0 CP 1000
75,0 - 82,0	185 - 189	117,0 - 124,0	201 x 105 x 86	3/4", 3/4"	Combi-System E	760218 00 0 CE 1000
82,0 - 89,0	189 - 194	124,0 - 131,0	201 x 105 x 86	3/4", 3/4"	Combi-System L	760218 00 0 CL 1000



Pre-installation Paiova # 700264/760264

k 1700 x 1000 x 460 ≯

Design by EOOS



Hot water connection

Cold water connection


Drain connection

MW1 Mixed water connection for waste and overflow with water inlet


MW2 Mixed water connection for

waste and overflow with base inlet


EC ! Electricity connection




Siphon for bathtub # 700264



Siphon with base inlet for bathtub # 700264



Siphon for whirltub # 760264



Siphon with base inlet for whirltub# 760264

	Height	including acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	l x w x h (cm)	Base inlet OD		
68,0	175	103,0	180 x 110 x 77	1/2", 3/4"		700264 00 0 00 0000
75,0	179	110,0	180 x 110 x 77	3/4", 3/4"	Air-System	760264 00 0 AS 0000
78,0	181	113,0	180 x 110 x 77	3/4", 3/4"	Jet-System	760264 00 0 JS 1000
84,0	185	119,0	180 x 110 x 77	3/4", 3/4"	Combi-System P	760264 00 0 CP 1000
97,0 - 104,0	192 - 196	132,0 - 139,0	180 x 110 x 77	3/4", 3/4"	Combi-System E	760264 00 0 CE 1000
104,0 - 111,0	196 - 201	139,0 - 146,0	180 x 110 x 77	3/4", 3/4"	Combi-System L	760264 00 0 CL 1000



Pre-installation Paiova # 700213/760213

k 1700 x 1000 x 460 ≯

Design by EOOS



Hot water connection Cold water connection


Drain connection

MW1 Mixed water connection for


waste and overflow with water inlet
Mixed water connection for

waste and overflow with base inlet


EC ∮ Electricity connection




Siphon for bathtub # 700213



Siphon with base inlet for bathtub # 700213



Siphon for whirltub # 760213



Siphon with base inlet for whirltub# 760213

	Height	including feet	including	
			support	
X Bathtub	485	605 - 675	~ 590	
X Whirltub	485	600 - 640	-	


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
31,0	159	46,0	120 x 80 x 195	1/2", 3/4"		700213 00 0 00 000
42,0	166	84,0	202 x 105 x 86	3/4", 3/4"	Air-System	760213 00 0 AS 0000
46,0	168	88,0	202 x 105 x 86	3/4", 3/4"	Jet-System	760213 00 0 JS 1000
51,0	171	93,0	202 x 105 x 86	3/4", 3/4"	Combi-System P	760213 00 0 CP 1000
64,0 - 71,0	179 - 183	106,0 - 113,0	202 x 105 x 86	3/4", 3/4"	Combi-System E	760213 00 0 CE 1000
71,0 - 78,0	183 - 187	113,0 - 120,0	202 x 105 x 86	3/4", 3/4"	Combi-System L	760213 00 0 CL 1000



Pre-installation Paiova # 700219/760219

k 1700 x 1000 x 460 ≯

Design by EOOS



Hot water connection


Cold water connection

Drain connection MW1 Mixed water connection for


waste and overflow with water inlet

MW2 Mixed water connection for


waste and overflow with base inlet **EC ∮** Electricity connection




Siphon for bathtub # 700219



Siphon with base inlet for bathtub # 700219



Siphon for whirltub # 760219



Siphon with base inlet for whirltub# 760219

	Height	including panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg	kg lxwxh	l x w x h (cm)	Base inlet OD			
46,0	168	88,0	201 x 105 x 86	1/2", 3/4"		700219 -00 0 00 0000
53,0	172	95,0	201 x 105 x 86	3/4", 3/4"	Air-System	760219 00 0 AS 0000
56,0	174	98,0	201 x 105 x 86	3/4", 3/4"	Jet-System	760219 00 0 JS 1000
62,0	178	104,0	201 x 105 x 86	3/4", 3/4"	Combi-System P	760219 00 0 CP 1000
75,0 - 82,0	185 - 189	117,0 - 124,0	201 x 105 x 86	3/4", 3/4"	Combi-System E	760219 00 0 CE 1000
82,0 - 89,0	189 - 194	124,0 - 131,0	201 x 105 x 86	3/4", 3/4"	Combi-System L	760219 00 0 CL 1000



Pre-installation Paiova # 700265/760265

k 1700 x 1000 x 460 x

Design by EOOS




Hot water connection

Cold water connection


Drain connection

waste and overflow with base inlet Electricity connection


MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for




Siphon for bathtub # 700265



Siphon with base inlet for bathtub # 700265



Siphon for whirltub # 760265



Siphon with base inlet for whirltub# 760265

	Height	including
		acrylic panel
X Bathtub	485	600
X Whirltub	485	600


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
68,0	175	103,0	180 x 110 x 77	1/2", 3/4"		700265 00 0 00 0000
75,0	179	110,0	180 x 110 x 77	3/4", 3/4"	Air-System	760265 00 0 AS 0000
78,0	181	113,0	180 x 110 x 77	3/4", 3/4"	Jet-System	760265 00 0 JS 1000
84,0	185	119,0	180 x 110 x 77	3/4", 3/4"	Combi-System P	760265 00 0 CP 1000
97,0 - 104,0	192 - 196	132,0 - 139,0	180 x 110 x 77	3/4", 3/4"	Combi-System E	760265 00 0 CE 1000
104,0 - 111,0	196 - 201	139,0 - 146,0	180 x 110 x 77	3/4", 3/4"	Combi-System L	760265 00 0 CL 1000



Pre-installation Paiova # 700214/760214

k 1700 x 1300 x 460 x

Design by EOOS



Hot water connection


Cold water connection

Drain connection


MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for

waste and overflow with base inlet


EC ! Electricity connection




Siphon for bathtub # 700214



Siphon with base inlet for bathtub # 700214



Siphon for whirltub # 760214



Siphon with base inlet for whirltub# 760214

Height	including feet	including	
		support	
485	605 - 675	~ 590	
485	600 - 640	-	
	485	485 605 - 675	support 485 605 - 675 ~ 590

Technical specifications


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
40,0	152	83,0	200 x 80 x 159	1/2", 3/4"		700214 00 0 00 0000
51,0	157	100,0	184 x 144 x 94	3/4", 3/4"	Air-System	760214 00 0 AS 0000
55,0	158	104,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760214 00 0 JS 1000
60,0	161	109,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760214 00 0 CP 1000
73,0 - 80,0	167 - 170	122,0 - 129,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760214 00 0 CE 1000
80,0 - 87,0	170 - 173	129,0 - 136,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760214 00 0 CL 1000
80,0 - 87,0	170 - 173	129,0 - 136,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760214 00 0




Pre-installation Paiova # 700216/760216

k 1800 x 1400 x 460 x

Design by EOOS







Drain connection


MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for

waste and overflow with base inlet Electricity connection






Siphon with base inlet for bathtub # 700216



Siphon for whirltub # 760216



Siphon with base inlet for whirltub# 760216

Height	including feet	including	
		support	
485	605 - 675	~ 590	
485	600 - 640	-	
	485	485 605 - 675	support 485 605 - 675 ~ 590


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
45,0	167	88,0	200 x 80 x 159	1/2", 3/4"		700216 00 0 00 000
56,0	171	105,0	184 x 144 x 94	3/4", 3/4"	Air-System	760216 00 0 AS 0000
60,0	173	109,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760216 00 0 JS 1000
65,0	175	114,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760216 00 0 CP 1000
78,0 - 85,0	180 - 183	127,0 - 134,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760216 00 0 CE 1000
85,0 - 92,0	183 - 185	134,0 - 141,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760216 00 0 CL 1000




Pre-installation Paiova # 700220/760220


k 1700 x 1300 x 460 x

Design by EOOS




- Hot water connection Cold water connection
- Drain connection
- MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for
- waste and overflow with base inlet







Siphon for bathtub # 700220



Siphon with base inlet for bathtub # 700220



Siphon for whirltub # 760220



Siphon with base inlet for whirltub# 760220

	Height	including panel	
X Bathtub	485	600	
X Whirltub	485	600	


	kg	lxwxh(cm)	Base inlet OD	Whirlsystem	Model-No.
158	104,0	200 x 80 x 159	1/2", 3/4"		700220 00 0 00 0000
162	111,0	184 x 144 x 94	3/4", 3/4"	Air-System	760220 00 0 AS 0000
163	114,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760220 00 0 JS 1000
166	120,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760220 00 0 CP 1000
171 - 175	133,0 - 140,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760220 00 0 CE 1000
175 - 178	140,0 - 147,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760220 00 0 CL 1000
	162 163 166 171 - 175	162 111,0 163 114,0 166 120,0 171 - 175 133,0 - 140,0	162 111,0 184 x 144 x 94 163 114,0 184 x 144 x 94 166 120,0 184 x 144 x 94 171 - 175 133,0 - 140,0 184 x 144 x 94	162 111,0 184 x 144 x 94 3/4", 3/4" 163 114,0 184 x 144 x 94 3/4", 3/4" 166 120,0 184 x 144 x 94 3/4", 3/4" 171 - 175 133,0 - 140,0 184 x 144 x 94 3/4", 3/4"	162 111,0 184 x 144 x 94 3/4", 3/4" Air-System 163 114,0 184 x 144 x 94 3/4", 3/4" Jet-System 166 120,0 184 x 144 x 94 3/4", 3/4" Combi-System P 171 - 175 133,0 - 140,0 184 x 144 x 94 3/4", 3/4" Combi-System E




Pre-installation Paiova # 700222/760222


k 1800 x 1400 x 460 x

Design by EOOS







Siphon for bathtub # 700222



Siphon with base inlet for bathtub # 700222



Siphon for whirltub # 760222



Siphon with base inlet for whirltub# 760222

	Height	including panel	_
X Bathtub	485	600	
X Whirltub	485	600	

Technical specifications			
Net weight	Floor load kg		

Cold water connection Drain connection

Electricity connection

MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for

waste and overflow with base inlet


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
60,0	173	109,0	200 x 80 x 159	1/2", 3/4"		700222 00 0 00 0000
67,0	175	116,0	184 x 144 x 94	3/4", 3/4"	Air-System	760222 00 0 AS 0000
70,0	177	119,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760222 00 0 JS 1000
76,0	179	125,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760222 00 0 CP 1000
89,0 - 96,0	184 - 187	138,0 - 145,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760222 00 0 CE 1000
96,0 - 103,0	187 - 190	145,0 - 152,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760222 00 0 CL 1000



Pre-installation Paiova # 700266/760266

k 1700 x 1300 x 460 x

Design by EOOS



Hot water connection

Cold water connection


Drain connection

MW1 Mixed water connection for waste and overflow with water inlet


MW2 Mixed water connection for

waste and overflow with base inlet


EC ! Electricity connection




Siphon for bathtub # 700266



Siphon with base inlet for bathtub # 700266



Siphon for whirltub # 760266



Siphon with base inlet for whirltub# 760266

	Height	including	
		acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions (x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
N.y		Ny	(A W A II (GIII)	buse inter ob		
70,5	161	112,5	180 x 140 x 77	1/2", 3/4"		700266 00 0 00 0000
77,0	164	119,0	180 x 140 x 77	3/4", 3/4"	Air-System	760266 00 0 AS 0000
80,0	165	122,0	180 x 140 x 77	3/4", 3/4"	Jet-System	760266 00 0 JS 1000
86,0	168	128,0	180 x 140 x 77	3/4", 3/4"	Combi-System P	760266 00 0 CP 1000
99,0 - 106,0	174 - 177	141,0 - 148,0	180 x 140 x 77	3/4", 3/4"	Combi-System E	760266 00 0 CE 1000
106,0 - 113,0	177 - 180	148,0 - 155,0	180 x 140 x 77	3/4", 3/4"	Combi-System L	760266 00 0 CL 1000
					,	




Pre-installation Paiova # 700268/760268


k 1800 x 1400 x 460 x

Design by EOOS







Siphon for bathtub # 700268



Siphon with base inlet for bathtub # 700268



Siphon for whirltub # 760268



Siphon with base inlet for whirltub# 760268

С	Cold water connection
D	Drain connection
MW1	Mixed water connection for
	waste and overflow with water inlet
MW2	Mixed water connection for
	waste and overflow with base inlet
6	

EC 🏌	Electricity	connection
------	-------------	------------

	Height	including	
		acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	lxwxh(cm)	Base inlet OD		
80,0	173	128,0	190 x 150 x 77	1/2", 3/4"		700268 00 0 00 000
87,0	175	135,0	190 x 150 x 77	3/4", 3/4"	Air-System	760268 00 0 AS 000
90,0	177	138,0	190 x 150 x 77	3/4", 3/4"	Jet-System	760268 00 0 JS 100
96,0	179	144,0	190 x 150 x 77	3/4", 3/4"	Combi-System P	760268 00 0 CP 100
109,0 - 116,0	184 - 187	157,0 - 164,0	190 x 150 x 77	3/4", 3/4"	Combi-System E	760268 00 0 CE 100
116,0 - 123,0	187 - 190	164,0 - 171,0	190 x 150 x 77	3/4", 3/4"	Combi-System L	760268 00 0 CL 100



Pre-installation Paiova # 700215/760215

k 1700 x 1300 x 460 x

Design by EOOS




Hot water connection

Cold water connection


Drain connection

MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for


waste and overflow with base inlet




Siphon for bathtub # 700215



Siphon with base inlet for bathtub # 700215



Siphon for whirltub # 760215



Siphon with base inlet for whirltub# 760215

	Height	including feet	including	
			support	
X Bathtub	485	605 - 675	~ 590	
X Whirltub	485	600 - 640	-	

Technical	speci	fications
-----------	-------	-----------


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	lxwxh(cm)	Base inlet OD		
40,0	152	83,0	200 x 80 x 159	1/2", 3/4"		700215 00 0 00 0000
51,0	157	100,0	184 x 144 x 94	3/4", 3/4"	Air-System	760215 00 0 AS 0000
55,0	158	104,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760215 00 0 JS 1000
60,0	161	109,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760215 00 0 CP 1000
73,0 - 80,0	167 - 170	122,0 - 129,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760215 00 0 CE 1000
80,0 - 87,0	170 - 173	129,0 - 136,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760215 00 0 CL 1000



Pre-installation Paiova # 700217/760217

k 1800 x 1400 x 460 x

Design by EOOS



Hot water connection


Cold water connection

Drain connection


MW1 Mixed water connection for waste and overflow with water inlet

MW2 Mixed water connection for


waste and overflow with base inlet




Siphon for bathtub # 700217



Siphon with base inlet for bathtub # 700217



Siphon for whirltub # 760217



Siphon with base inlet for whirltub# 760217

	Height	including feet	including	
			support	
X Bathtub	485	605 - 675	~ 590	
X Whirltub	485	600 - 640	-	


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
45,0	167	88,0	200 x 80 x 159	1/2", 3/4"		700217 00 0 00 0000
56,0	171	105,0	184 x 144 x 94	3/4", 3/4"	Air-System	760217 00 0 AS 0000
60,0	173	109,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760217 00 0 JS 1000
65,0	175	114,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760217 00 0 CP 1000
78,0 - 85,0	180 - 183	127,0 - 134,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760217 00 0 CE 1000
85,0 - 92,0	183 - 185	134,0 - 141,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760217 00 0 CL 1000



Pre-installation Paiova # 700221/760221

k 1700 x 1300 x 460 x

Design by EOOS




Hot water connection

Cold water connection


Drain connection

MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for


waste and overflow with base inlet




Siphon for bathtub # 700221



Siphon with base inlet for bathtub # 700221



Siphon for whirltub # 760221



Siphon with base inlet for whirltub# 760221

	Height	including panel	
X Bathtub	485	600	
X Whirltub	485	600	

Technical	speci	fications
-----------	-------	-----------


Net weight	Floor load kg/m²	Shipping weight	Shipping dimensions	Water inlet OD,	Whirlsystem	Model-No.
kg		kg	l x w x h (cm)	Base inlet OD		
55,0	158	104,0	200 x 80 x 159	1/2", 3/4"		700221 00 0 00 0000
62,0	162	111,0	184 x 144 x 94	3/4", 3/4"	Air-System	760221 00 0 AS 0000
65,0	163	114,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760221 00 0 JS 1000
71,0	166	120,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760221 00 0 CP 1000
84,0 - 91,0	171 - 175	133,0 - 140,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760221 00 0 CE 1000
91,0 - 98,0	175 - 178	140,0 - 147,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760221 00 0 CL 1000



Pre-installation Paiova # 700223/760223


k 1800 x 1400 x 460 x

Design by EOOS




- Hot water connection
- Cold water connection
- Drain connection
- MW1 Mixed water connection for waste and overflow with water inlet


 MW2 Mixed water connection for
- waste and overflow with base inlet
- Electricity connection




Siphon for bathtub # 700223



Siphon with base inlet for bathtub # 700223



Siphon for whirltub # 760223



Siphon with base inlet for whirltub# 760223

	Height	including panel
X Bathtub	485	600
X Whirltub	485	600

Technical	speci	fications
-----------	-------	-----------


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
60,0	173	109,0	200 x 80 x 159	1/2", 3/4"		700223 00 0 00 0000
67,0	175	116,0	184 x 144 x 94	3/4", 3/4"	Air-System	760223 00 0 AS 0000
70,0	177	119,0	184 x 144 x 94	3/4", 3/4"	Jet-System	760223 00 0 JS 1000
76,0	179	125,0	184 x 144 x 94	3/4", 3/4"	Combi-System P	760223 00 0 CP 1000
89,0 - 96,0	184 - 187	138,0 - 145,0	184 x 144 x 94	3/4", 3/4"	Combi-System E	760223 00 0 CE 1000
96,0 - 103,0	187 - 190	145,0 - 152,0	184 x 144 x 94	3/4", 3/4"	Combi-System L	760223 00 0 CL 1000



Pre-installation Paiova # 700267/760267

k 1700 x 1300 x 460 x

Design by EOOS




Hot water connection Cold water connection

Drain connection


MW1 Mixed water connection for waste and overflow with water inlet MW2 Mixed water connection for

waste and overflow with base inlet


EC # Electricity connection




Siphon for bathtub # 700267



Siphon with base inlet for bathtub # 700267



Siphon for whirltub # 760267



Siphon with base inlet for whirltub# 760267

	Height	including acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	


Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
70,5	161	112,5	180 x 140 x 77	1/2", 3/4"		700267 00 0 00 0000
77,0	164	119,0	180 x 140 x 77	3/4", 3/4"	Air-System	760267 00 0 AS 0000
80,0	165	122,0	180 x 140 x 77	3/4", 3/4"	Jet-System	760267 00 0 JS 1000
86,0	168	128,0	180 x 140 x 77	3/4", 3/4"	Combi-System P	760267 00 0 CP 1000
99,0 - 106,0	174 - 177	141,0 - 148,0	180 x 140 x 77	3/4", 3/4"	Combi-System E	760267 00 0 CE 1000
106,0 - 113,0	177 - 180	148,0 - 155,0	180 x 140 x 77	3/4", 3/4"	Combi-System L	760267 00 0 CL 1000
					•	



Pre-installation Paiova # 700269/760269

k 1800 x 1400 x 460 x

Design by EOOS



Hot water connection


Cold water connection

Drain connection


MW1 Mixed water connection for waste and overflow with water inlet

MW2 Mixed water connection for


waste and overflow with base inlet




Siphon for bathtub # 700269



Siphon with base inlet for bathtub # 700269



Siphon for whirltub # 760269



Siphon with base inlet for whirltub# 760269

	Height	including	
		acrylic panel	
X Bathtub	485	600	
X Whirltub	485	600	

Technical	specifications
-----------	----------------

Net weight kg	Floor load kg/m²	Shipping weight kg	Shipping dimensions l x w x h (cm)	Water inlet OD, Base inlet OD	Whirlsystem	Model-No.
80,0	173	128,0	190 x 150 x 77	1/2", 3/4"		700269 00 0 00 0000
87,0	175	135,0	190 x 150 x 77	3/4", 3/4"	Air-System	760269 00 0 AS 0000
90,0	177	138,0	190 x 150 x 77	3/4", 3/4"	Jet-System	760269 00 0 JS 1000
96,0	179	144,0	190 x 150 x 77	3/4", 3/4"	Combi-System P	760269 00 0 CP 1000
109,0 - 116,0	184 - 187	157,0 - 164,0	190 x 150 x 77	3/4", 3/4"	Combi-System E	760269 00 0 CE 1000
116,0 - 123,0	187 - 190	164,0 - 171,0	190 x 150 x 77	3/4", 3/4"	Combi-System L	760269 00 0 CL 1000
110,0 125,0	10, 170	104,0 171,0	170 % 100 % 77	5, 4 , 5, 4	COMIDI SYSTEM L	700209 00 0 01